



Companies House
— for the record —

363a^(ef)

Annual Return



X7O5B54H

Received for filing in Electronic Format on the: **25/11/2008**

Company Name: **TREASURYPORTAL LIMITED**

Company Number: **04066068**

Company Details

Period Ending: **05/08/2008**

Company Type: **PRIVATE COMPANY LIMITED BY SHARES**

Principal Business Activities:

SIC codes:

7487

*Registered Office
Address:*

**160 QUEEN VICTORIA
STREET
LONDON
EC4V 4BF**

*Register of
Members Address:*

**AT REGISTERED
OFFICE**

*Register of Debenture
Holders Address:*

Details of Officers of the Company

Company Secretary 1:

Name: **PERTTU PESSA**

Address: **160 QUEEN VICTORIA STREET
LONDON
EC4V 4BF**

Director 1 :

Name: **KARL JAEGER**

Address: **22 BRIDGEWATER DRIVE
PRINCETOWN JUNCTION
NJ 08550
USA**

Date of Birth:

10/02/1963

Nationality:

United States

Occupation:

CFO

Director 2 :

Name: **JOEL MANDELBAUM**

Address: **220 OAK RIDGE AVENUE
SUMMIT
NJ 07901
USA**

Date of Birth:

27/11/1957

Nationality:

United States

Occupation:

CEO

Director 3 :

Name: PAUL MICHAEL WHEELER Address: SQUIRREL LODGE PINWOODS ROAD
LONGWORTH
ABINGDON
OXFORDSHIRE
OX13 5HH

Date of Birth: 20/07/1969 Nationality: British Occupation: COMPANY DIRECTOR

Share Capital

Issued Share Capital Details:

Class of Share	Number of Shares issued	Aggregate Nominal value of issued Shares
ORDINARY	100	GBP100
TOTALS		
	100	GBP100

Full Details of Shareholders

The details below relate to individuals / corporate bodies that were shareholders as at 05/08/2008 or that had ceased to be shareholders since the made up date of the previous Annual Return

Shareholding 1:

0 ORDINARY Shares held as at 05/08/2008
1 DISPOSED OF IN PERIOD ON 23/08/2005

Name: CHARLES PALMER
Address: 10 FERRY ROAD
BARNES LONDON
SW13 9RX

Shareholding 2:

100 ORDINARY Shares held as at 05/08/2008

Name:

WALL STREET SYSTEMS LABORATORIES LTD

Address:

160 QUEEN VICTORIA STREET

LONDON

UK

EC4V 4BF

Authorisation

Authoriser Designation: **secretary**

Date Authorised: **25/11/2008**

Authenticated: **Yes (E/W)**