



**Companies House**  
for the record

# 287

## Change in situation or address of Registered Office

Please complete in typescript,  
or in bold black capitals.

CHWP000

Company Number

04818420

Company Name in full

ALTENS LTD

## New situation of registered office

### NOTE.

The change in the situation of the registered office does not take effect until the Registrar has registered this notice

For 14 days beginning with the date that a change of registered office is registered, a person may validly serve any document on the company at its previous registered office

PO Box numbers only are not acceptable

For English and Welsh companies, the address must be in England or Wales. For Scottish companies, the address must be in Scotland

Address

UNIT B20, BASEPOINT BUSINESS AND

INNOVATION CENTRE, 110 BUTTERFIELD,

Post town

GREAT MARLINGS, LUTON <sup>3</sup>

County / Region

BEDFORDSHIRE

Postcode

LU2 8DL

Signed

Date

10/03/08

† Please delete as appropriate

† a director / secretary / administrator / administrative receiver / liquidator / receiver-manager / receiver

You do not have to give any contact information in the box opposite but if you do, it will help Companies House to contact you if there is a query on the form. The contact information that you give will be visible to searchers of the public record

Tel	
DX number	DX exchange



A20

\*ALOZXZV\*

13/03/2008

63

COMPANIES HOUSE

When you have completed and signed the form please send it to the Registrar of Companies at:

Companies House, Crown Way, Cardiff, CF14 3UZ

DX 33050 Cardiff

for companies registered in England and Wales

or

Companies House, 37 Castle Terrace, Edinburgh, EH1 2EB

DX 235 Edinburgh

for companies registered in Scotland

or LP - 4 Edinburgh 2

THURSDAY

1. The first claim is directed to a method of  
determining the relative humidity of a gas  
sample, comprising the steps of:  
a) measuring the dew point of the gas sample;  
b) measuring the temperature of the gas sample;  
c) determining the relative humidity of the gas sample  
as a function of the dew point and the temperature.